MARICOPA COUNTY INFLUENZA SUMMARY and RSV UPDATE WEEK 1 (1/2/11-1/8/11)


Data contained in this report reflect the time period above except where noted.

- Current Key Findings: The state of Arizona is at widespread activity for the second week. Maricopa has a total of 559 confirmed cases of influenza. Of these, 77% are Influenza A, 21% B and 2% are of an unknown type. The following subtypes have been reported: A/Unknown (168, 30%), A/H3 (236, 42%), 2009 A/H1N1 (29, 5%), B (117, 21%), and Unknown (9, 2%).
- Lab Confirmed Influenza: Between weeks 52 and 1 of the 2010-2011 season, 135 cases of influenza have been confirmed at laboratories.
- **Pneumonia & Influenza Mortality:** 6.34% of deaths from all causes were due to pneumonia or influenza during week 1.
- **Pediatric Deaths Associated with Laboratory-Confirmed Influenza:** No deaths have occurred in the 2010-11 season. This time last season 10 pediatric deaths were associated with influenza.
- Influenza-Like Illness (ILI) (Through week 1)
 - Cigna Health Centers (n=20): 0.12% of visits were due to ILI (provisional data; subject to change as updated information becomes available).
 - Hospital Emergency Departments (n=13): 4.58% of visits were due to ILI. Last week the
 percentage of hospital emergency department visits due to ILI was 4.44%.
 - Arizona State University Student Health Services: 0.42% of visits were due to ILI. Last week,
 0.0% of visits were due to ILI.
- Selected Emergency Department (ED) Visits: (n=8)
 - o 0.44% of all visits were due to ILI. (As of 1/14/2011)
 - o 17.40% of all visits were due to a respiratory syndrome. (As of 1/14/2011)
- **School Syndromic Surveillance** (criteria: ≥3 days/week of reporting and 50% known absenteeism): 0.51% of students were absent from school due to an influenza-like-illness. (As of 1/14/2011)
- **Respiratory Syncytial Virus (RSV):** 50 new cases of RSV have been reported during week 1. Last week, 59 cases were reported.

Arizona Influenza Activity Levels: (see definitions at http://www.cdc.gov/flu/weekly/fluactivity.htm)


	2010-2011	2009-2010	2008-2009	2007-2008	2006-2007
This Week	Widespread	Local	Local	Regional	Local
Last Week	Widespread	Local	Local	Regional	Local
Date First Case Confirmed	Sept. 28, 2010	Confirmed during summer	Nov. 19, 2008	Nov. 19, 2007	Nov. 17, 2006
Weeks with Widespread Activity	Week 52-1	Weeks 40 – 48	Weeks 6 – 13 Weeks 17 – 24 Weeks 35 – 39	Weeks 4 – 12	No widespread activity

Lab-Confirmed Influenza Cases Reported: 05-06, 06-07, 07-08, 08-09, 09-10 & 10-11 Seasons (Source:ADHS)




Week of Report

^{*}The 2009-10 and 2010-11 seasons do not contain a week 53.



^{*}Sample sizes shown in chart legend represent confirmed influenza cases for the 2010-2011 season only. (Starting week 39)

Lab-Confirmed Influenza Cases Reported, 10-11 Season (Started week 39) (Source:ADHS)




*Sample sizes shown in chart legend represent confirmed influenza cases for the 2010-2011 season only. (Starting week 39)

Influenza-Like Illness (ILI)* Surveillance

*ILI case definition: fever (at least 100°F) AND cough and/or sore throat.


- During Week 1, 0.12% of patient visits to Cigna Health Care Centers (data from 20 centers, six departments) were due to ILI. During week 1 of the two previous seasons, 0.08% (09-10) and 0.08% (08-09) of patient visits to Cigna Health Care Centers were due to ILI. (*Provisional data; may change in subsequent reports as updated information becomes available.)
- The percentage of Emergency Department visits for ILI was 4.58% for week 1. During week 1 of the two previous seasons, 2.11% (09-10) and 1.67% (08-09) of patient visits were due to ILI.
- Arizona State University Student Health Services had 0.42% of visits due to ILI during week 1.




^{*}Data may change in subsequent reports as updated information becomes available.


^{**}The 2009-10 and 2010-11 seasons do not contain a week 53.

Cigna Health Care Centers (n=20): Number of Visits for Influenza-Like Illness (by age group) 10-11 Season (Source: Cigna Health Care Centers)





^{*}Data may change in subsequent reports as updated information becomes available.







^{*}The 2009-10 and 2010-11 seasons do not contain a week 53.







Selected Emergency Departments Weekly Syndromic Surveillance: Influenza-Like-Illness









Selected Emergency Departments Weekly Syndromic Surveillance: Severe Illness/Deaths




Maricopa County 2010-2011 Pneumonia and Influenza Related Deaths (Source: MCDPH Office of Vital Statistics)



Maricopa County 2004-2011 Pneumonia and Influenza Related Deaths (Source: MCDPH Office of Vital Statistics)




Number of Pediatric Deaths Associated with Laboratory-Confirmed Influenza by Week of Death: 2007-08 Season to Present




Week of Death

Maricopa County 2010-2011: School ILI Surveillance by MMWR WeeK (N=47 Schools)



Maricopa County 2010-2011: School ILI Surveillance by MMWR WeeK (N=47 Schools)



Glossary:

2010-2011 Influenza Season is September 26, 2010 through October 1, 2011. In terms of the surveillance weeks recognized by the Centers for Disease Control, the 2010-11 Season is Week 39 2010 through Week 39 2011.

Activity Levels: Indicator of the geographic spread of influenza activity, reported to CDC by all states each week.

Widespread: Increased influenza-like illness from sentinel providers (ILI) in three or more regions and large numbers of laboratory-confirmed influenza cases in those regions.

Regional: Increased ILI in two regions and elevated numbers of laboratory-confirmed influenza cases in those regions.

Local: Increased ILI in one region and elevated numbers of laboratory-confirmed influenza cases in that region.

Sporadic: No increase in ILI activity and only isolated laboratory-confirmed influenza cases.

No Activity: No increase in ILI activity and no laboratory-confirmed influenza cases.

Influenza Activity outside Maricopa County

Information on influenza activity outside Maricopa County is available at these sites:

- http://azdhs.gov/phs/oids/epi/flu/az_flu_surv.htm (Arizona Department of Health Services)
- http://www.cdc.gov/flu/weekly/fluactivity.htm (CDC)

Due to wide variability between national- and local-level data, it is not appropriate to apply any national baselines or thresholds to the information presented in this report.

Please email any questions about this report to: <u>vjollcaberisha@mail.maricopa.gov</u> Report generated: 01/14/2010

Influenza Surveillance Participants include:

Arizona Department of Health Services

Cigna Health Care Centers

Arizona State University Campus Health Services


Local Hospital Emergency Departments & Infection Control Practitioners

73 Maricopa County Public Schools


MARICOPA COUNTY RSV SUMMARY UPDATE WEEK 1 (1/2/11-1/8/11)

Respiratory Syncytial Virus (RSV) Lab Surveillance: At the time of this report, 194 lab-confirmed cases of RSV have been reported through week 1.

Lab-Confirmed Respiratory Syncytial Virus (RSV) Cases Reported: 10-11 Season (Source: ADHS)



Week of Report



^{*}The 2009-10 and 2010-11 seasons do not contain a week 53.